

AMSAT Weekly Satellite Report
Issue: WSR-128
Date: 2006-05-08
Sources: amsat-ans-2006-wsr-128.txt

This report is organized into 4 parts.
Part 1 (S1) - operational analog amateur satellites
Part 2 (S2) - operational digital amateur satellites
Part 3 (S3) - non - operational satellites
Part 4 (S4) - proposed satellites

SB SAT @ AMSAT W8ISS ANS-128.S1
WSR 128 Part 1 05/08/2006

AMSAT NEWS SERVICE BULLETIN 128.S1 FROM AMSAT HQ
SILVER SPRING, MD, May 08, 2006
TO ALL RADIO AMATEURS
BID: \$ANS-128.S1

V0-52 HAMSAT
Catalog Number: 28650
Launch Date: May 05,2005

Status: Operational
Current Mode: U/V - Indian Transponder

Proposed frequencies:

Indian Transponder:
Uplink : 435.220 MHz to 435.280 MHz LSB/CW
Downlink: 145.870 MHz to 145.930 MHz USB/CW
Beacom : 145.859330 MHZ CW

Dutch Transponder:
Uplink : 435.225MHz to 435.275MHz LSB/CW
Downlink: 145.875MHz to 145.925MHz USB/CW
Beacon : 145.860MHz 12WPM with CW message

Mode and Antenna Polarization:
V: LHCP
U: RHCP

Official Webpage: <http://www.amsat.in/hamsat.htm>

To know what transponder is switched on please listen for the beacon
that is
active. Each transponder has a different beacon.
[04242006]

=====
A0-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Current Mode(s): FM Repeater, V/U High Power Mode
Digipeater - OFF

Analog voice downlink: 435.300 MHz FM
435.150 MHz FM
2401.200 Mhz FM
Analog voice uplink: 145.880 MHZ FM
145.880 MHz USB
145.920 MHz FM 67Hz PL tone

1268.700 MHz FM 67Hz PL tone
Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol

1268.700 mhz FM, 9k6 PBP Digital
Mode and Antenna Polarization:
T: Linear
V: Linear
U: TX A (usually digital) LHCP
TX B (usually analog) RHCP
L: Linear
S: Linear

Broadcast: PECH0-11
BBS: PECH0-12

Mode schedule for April 2006 according to Drew, K04MA:

May 8

FM Repeater, V/U, High Power Mode
a.. Uplink: 145.920 mhz FM, 67 hz PL Tone
a.. Downlink 435.300 mhz FM

May 15

FM Repeaters, V/U
a.. Uplink: 145.920 mhz FM, 67 hz PL Tone
b.. Downlink: 435.300 mhz FM
FM Repeater, V/U (QRP only)
a.. Uplink: 145.880 mhz FM
b.. Downlink 435.300 mhz FM

May 22

FM Repeater, V/U
a.. Uplink: 145.920 mhz FM, 67 hz PL Tone
b.. Downlink: 435.300 mhz FM
9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)
a.. Uplink: 145.860 mhz FM, 9k6 PBP Digital
b.. Downlink: 435.150 mhz FM, 9k6 PBP Digital

May 29

No Change

Official Webpage: [http://www.amsat.org/amsat-new/echo/\[05082006\]](http://www.amsat.org/amsat-new/echo/[05082006])

=====

S0-50 SAUDISAT-1C
Catalog number: 27607
Launched: December 20, 2002

Status: Operational.

Uplink: 145.850 MHz (67.0 Hz PL tone) (See below for operating
procedures)
Downlink: 436.795 MHz

Mode and Antenna Polarization:
V: Linear
U: Linear

Official Webpage: <http://saudisat.kacst.edu.sa/index.shtml>
(not up and running currently)

To switch the transmitter on, you need to send a CTCSS tone of 74.4 Hz.

The
order of operation is thus: (allow for Doppler as necessary)
1) Transmit on 145.850 MHz with a tone of 74.4 Hz to arm the 10 minute
timer
 on board the spacecraft.
2) Now transmit on 145.850 MHz (FM Voice) using 67.0 Hz to PT the
repeater
 on and off within the 10 Minute window.
3) Sending the 74.4 tone again within the 10 minute window will reset
the 10
 minute timer.
[04172006]
=====
F0-29 JAS-2
Catalog number: 24278
Launch Date: August 17, 1996

Status: OPERATIONAL

Voice/CW Mode JA
Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795 MHz

Digital Mode JD
Uplink: 145.850 145.870 145.910 MHz FM
Downlink: 435.910 MHz 1200-baud BPSK or 9600-baud FSK
Callsign: 8J1JCS
Digitalker: 435.910 MHz

Mode and Antenna Polarization:
V: RHCP
U: RHCP

unOfficial Webpage: <http://www.amsat.org/amsat/sats/n7hpr/fo29.html>
[11132005]
=====

A0-27 AMRAD
Catalog number: 22825
Launched: September 26, 1993

Status: Operational

Uplink: 145.850 MHz FM
Downlink: 436.795 MHz FM

Mode and Antenna Polarization:
V: Linear
U: Linear

Official Webpage: <http://www.ao27.org>
[01012006]
=====

A0-7 AMSAT OSCAR 7
Catalog number: 07530
Launch Date: November 15, 1974

Status: Operational depending on amount of Sunlight
Current Reported mode: Mode-A

Uplink: 145.850 to 145.950 MHz CW/USB Mode A
432.125 to 432.175 MHz CW/LSB Mode B
Downlink: 29.400 to 29.500 MHz CW/USB Mode A (1W PEP)
145.975 to 145.925 MHz CW/USB Mode B (8W PEP)

145.975 to 145.925 MHz CW/USB Mode C (2W PEP)
Beacons: 29.502 MHz
145.972 MHz
435.100 MHz
2304.100 MHz

Official Webpage:

http://www.amsat.org/amsat-new/satellites/sat_summary/ao7.php

The A0-7 Logbook and Resource Website:

<http://www.planetemily.com/ao7/>

A0-7 users are requested to log their contacts and observations about A0-7, especially any unexpected mode changes.

A0-07 telemetry software webpage:

http://www.qsl.net/k3tz/files/K3TZ_A0-07_Telemetry_Decoder_0.5.zip

Please keep your power low! For additional information please read the A0-7

Usage Guidelines on the A0-7 Log and Resource Site located at:

<http://www.planetemily.com/ao7>

[04242006]

=====

INTERNATIONAL SPACE STATION (ISS) - ARISS

Catalog number: 25544

Launch date: November 20, 1998

Status: Operational

Current Mode: Packet / Occasional Voice - V

Digipeater: ON

The current crew is:

Commander: Pavel Vinogradov, RV3BS

Flight Engineer: Jeff Williams, KD5TVQ

Digital/APRS:

Worldwide packet uplink: 145.990 MHz FM

Worldwide packet downlink: 145.800 Mhz FM

Voice:

Region 1 voice uplink: 145.200 MHz FM

Region 2/3 voice uplink: 144.490 MHz FM

Worldwide downlink: 145.800 MHz FM

Crossband Repeater:

Repeater Uplink: 437.800 MHz FM

Repeater Downlink: 145.800 MHz FM

Mode and Antenna Polarization:

V: Linear

U: Linear

Callsigns:

Russian: RS0ISS, RZ3DZR

USA: NA1SS

Packet Mailbox: RS0ISS-11

Packet Keyboard: RS0ISS-3

Digipeater callsign: ARISS

Official Webpage: <http://www.rac.ca/ariss>

Official Fan club Webpage: <http://www.issfanclub.com>

APRS tracking page: <http://www.ariss.net/>

ISS Daily Crew Schedule: <http://spaceflight.nasa.gov/station/timelines/>
Remember that the crew operates on UTC time. Also, all of the time line is

NOT translated from Russian and posted.
[04242006]
NNNN
/EX

SB SAT @ AMSAT W8ISS \$ANS-128.S2
WSR 128 Part 2 05/08/2006

AMSAT NEWS SERVICE BULLETIN 128.S2 FROM AMSAT HQ
SILVER SPRING, MD, May 08, 2006
TO ALL RADIO AMATEURS
BID: \$ANS-128.S2

C0-58 XI-V
Catalog Number: 28895
Launch Date: October 27, 2005

Status: Operational only within range of Ground station in Japan

Telemetry Downlink: 437.345MHz - FSK 1200bps using AFK protocol
Beacon Downlink: 437.465MHz - CW about 50 WPM

Callsign: JQ1YGW

Official Webpage: <http://www.space.t.u-tokyo.ac.jp/gs/satinfo-e.html#xi5>
Pictures received by Mineo Wakita - JE9PEL:
<http://www.ne.jp/asahi/hamradio/je9pel/>
[03122006]

=====
INTERNATIONAL SPACE STATION (ISS) - ARISS
Catalog number: 25544
Launch date: November 20, 1998

Status: Operational
Current Mode: Packet/Occassinal Voice - V
Digipeater: ON

The current crew is:
Commander: Pavel Vinogradov, RV3BS
Flight Engineer: Jeff Williams, KD5TVQ

Digital/APRS:
Worldwide packet uplink: 145.990 MHz FM
Worldwide packet downlink: 145.800 Mhz FM

Voice:
Region 1 voice uplink: 145.200 MHz FM
Region 2/3 voice uplink: 144.490 MHz FM
Worldwide downlink: 145.800 MHz FM

Crossband Repeater:
Repeater Uplink: 437.800 MHz FM
Repeater Downlink: 145.800 MHz FM

Mode and Antenna Polarization:
V: Linear
U: Linear

Callsigns:
Russian: RS0ISS, RZ3DZR
USA: NA1SS
Packet Mailbox: RS0ISS-11
Packet Keyboard: RS0ISS-3
Digipeater callsign: ARISS

Official Webpage: <http://www.rac.ca/ariss>
Official Fan club Webpage: <http://www.issfanclub.com>
APRS tracking page: <http://www.ariss.net/>

ISS Daily Crew Schedule: <http://spaceflight.nasa.gov/station/timelines/>
Remember that the crew operates on UTC time. Also, all of the time line is NOT translated from Russian and posted.
[04242006]

=====

PCSAT-2
Catalog Number: 25544
Launch Date: August 1, 2005

Activated: August 3, 2005
Status: Operational
Current Mode: Digipeater / XBAUD (PSK31/CW Repeater)

Digital Downlink: 435.275 Mhz
Digital Uplink: 145.825 Mhz

PSK-31 Downlink: 435.275 Mhz
PSK-31 Uplink: 29.401 Mhz

CALLSIGN: pcsat2

Official Webpage: <http://web.usna.navy.mil/~bruninga/pcsat2.html>
PCSAT2 APRS Packet page: <http://www.findu.com/cgi-bin/pcsat2.cgi>
aprstlm Telemetry Decoder program:
<http://www.xciv.org/~iain/aprstlm/v1.2/>

Bob, WB4APR, reports that the Xbaud - PSK31/CW repeater experiment has been activated. Bob reports that you need to connect to pcsat2 and then you can transmit on 29.401 Mhz and listen on 435.275 for your signal. Reports are that you will probably need at least 100+ watts of power on 10m to make it work. Currently, Henk, PA3GU0, has tried with only a 100 watts and a dipole without any luck so far.
[ANS-WSR wishes to thank Bob, WB4APR, and Henk, PA3GU0, for this weeks info]
[05082006]

=====

A0-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Current Mode(s): FM Repeater, V/U High Power Mode
Digipeater - OFF

Analog voice downlink: 435.300 MHz FM
435.150 MHz FM
2401.200 MHz FM

Analog voice uplink: 145.880 MHz FM
145.880 MHz USB
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast

Protocol

Mode and Antenna Polarization:

T: Linear

V: Linear

U: TX A (usually digital) LHCP

TX B (usually analog) RHCP

L: Linear

S: Linear

Broadcast: PECH0-11

BBS: PECH0-12

Mode schedule for April 2006 according to Drew, K04MA:

May 8

FM Repeater, V/U, High Power Mode

a.. Uplink: 145.920 mhz FM, 67 hz PL Tone

a.. Downlink 435.300 mhz FM

May 15

FM Repeaters, V/U

a.. Uplink: 145.920 mhz FM, 67 hz PL Tone

b.. Downlink: 435.300 mhz FM

FM Repeater, V/U (QRP only)

a.. Uplink: 145.880 mhz FM

b.. Downlink 435.300 mhz FM

May 22

FM Repeater, V/U

a.. Uplink: 145.920 mhz FM, 67 hz PL Tone

b.. Downlink: 435.300 mhz FM

9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)

a.. Uplink: 145.860 mhz FM, 9k6 PBP Digital

b.. Downlink: 435.150 mhz FM, 9k6 PBP Digital

May 29

No Change

Official Webpage: <http://www.amsat.org/amsat-new/echo/>
[05082006]

=====

NO-44 PCSAT

Catalog number: 26931

Launch Date: September 30, 2001

Status: Operational

General Usage Uplink/Downlink: 145.827 MHz 1200 Baud

Special Usage Downlink: 144.390 Mhz 1200 Baud

PCSAT APRS page: <http://pcsat.aprs.org>

aprstlm Telemetry Decoder program:

<http://www.xciv.org/~iain/aprstlm/v1.2/>

[04172006]

=====

C0-55 CUTE-1.7

Catalog number: 28941

Launched: June 30, 2003

Status: Operational

Uplink: ?

Downlink: 437.3850 CW

437.4700 1200 FM ax25 or SRLL (ACTIVE only near Japan ?)

Information webpage:

<http://lss.mes.titech.ac.jp/ssp/spacerium/cutelblog/>
[05012006]

=====

G0-32 TECHSAT-1B

Catalog number: 25397

Launch Date: July 10, 1998

Status: Operational

Downlink: 435.225 MHz FM (9600-baud FSK)

435.325 Mhz - Not Available - temperature problems

Uplinks: 145.850 FM

145.890 FM

145.930 FM

1269.700 FM

1269.800 FM

1269.900 FM

Broadcast Callsign: 4XTECH-11

BBS Callsign: 4XTECH-12

More information of G0-32 can be found at:

<http://www.iarc.org/techsat/techsat.html>

[05012006]

=====

RS-22 Mozhayets 4

Catalog Number: 27939

Launch Date: September 27, 2004

Status: Operational

Beacon: 435.3520 MHz CW

=====

A0-16 PACSAT

Catalog number: 20439

Launch Date: January 22, 1990

Status: Semi-operational, the digipeater command is on and open for APRS users.

Uplink: 145.900 FM

145.920 FM

145.940 FM

145.960 FM

(using 1200-baud Manchester FSK)

Downlink: 437.026 MHz SSB (1200-baud PSK)

Mode-S Beacon: 2401.1428 MHz

Mode and Antenna Polarization:

U: RC 437.050 MHz RHCP

PSK 437.025 MHz LHCP

V: Linear

Broadcast Callsign: PACSAT-11

BBS: PACSAT-12

A0-16 AMSAT Webpage: <http://www.amsat.org/amsat/sats/n7hpr/ao16.html>

[04172006]

=====

U0-11 OSCAR-11

Catalog number: 14781

Launched: March 1, 1984

Status: Semi-operational?

Telemetry Downlink: 145.826 MHz. FM (1200-baud AFSK).
approx. 10 days ON, 10 days OFF
Mode-S Beacon: 2401.500 MHz. ... OFF
UHFBeacon: 435.025 MHz. ... OFF

Mode and Antenna Polarization:

V: RHCP

S: LHCP

This from James DeYoung on April 28,2006:
U0-11 VHF 1200-bps AFSK telemetry beacon 145.826 very loud this
afternoon.
Monitored from FM18 using Arrow antenna and 910H from 22:51 to 23:54 UTC
28
April 2006 during near zenith pas

Official webpage: <http://www.users.zetnet.co.uk/clivew/>
MPEG3 files: <http://www.ne.jp/asahi/hamradio/je9pel/u011tlme.htm>
[05012006]
NNNN
/EX

SB SAT @ AMSAT W8ISS \$ANS-128.S3
WSR 128 Part 3 05/08/2006

AMSAT NEWS SERVICE BULLETIN 128.S3 FROM AMSAT HQ
SILVER SPRING, MD, May 08, 2006
TO ALL RADIO AMATEURS
BID: \$ANS-128.S3

THE FOLLOWING ARE IN ORBIT BUT ARE NON-OPERATIONAL AT THIS TIME:

A0-54 SUITSAT
Catalog Number:28933
Release Date: February 3,2006

Status: Non-operational
Modes : FM Voice Telemetry/Greetings
FM SSTV

Callsign: RS0RS
Downlink: 145.990 FM

Currently on the amsat-bb, there is a geussing game going on about when
Suitsat will re-enter the atmosphere.

Official webpage: <http://www.suitsat.org>
[05012006]

=====

NCUBE-2
Catalog Number: 28897
Launch Date: October 27, 2005

Status: Still attached to X0-53 (SSETI)?

Proposed Callsign: TBA
Proposed Transmit Frequency: 437.305
2407.250

Official Website: <http://www.ncube.no>
[05012006]

=====

X0-53 SSETI

Catalog Number: 28894

Launch Date: October 27, 2005

Status: Non-operational

Voice Uplink: 437.250 FM 67Hz CTCSS

Voice Downlink: 2401.835 FM

Packet Up/Downlink: 437.250 9k6 packet

Packet Downlink 2401.835 38k4 packet

Official webpage: <http://sseti.gte.tuwien.ac.at/WSW4/>Latest news: <http://sseti.gte.tuwien.ac.at/WSW4/MOPWS/news.php>
[01292006]

=====

T0-31 TMSAT-1

Catalog Number: 25396

Launch Date: July 10, 1998

Status: Non-operational

Uplink: 145.925 MHz 9600 baud FSK

Downlink: 436.925 MHz 9600 baud FSK

Broadcast callsign: TMSAT1-11

BBS: TMSAT1-12

[05012006]

=====

P0-28 POSAT-1

Catalog Number: 22829

Launch Date: September 25, 1993

Status: Operational - Not open for Amateur use

Downlink: 429.950

Uplink: Not until handover back to Amateur usage

Broadcast callsign: POSAT1-11

BBS callsign: POSAT1-12

AMSAT Webpage: <http://www.amsat.org/amsat/sats/n7hpr/po28.html>.

POSAT-1 webpage:

<http://www.ee.surrey.ac.uk/SSC/CSER/UOSAT/missions/posat1.html>

[01012006]

=====

A0-10 OSCAR 10

Catalog number: 14129

Launched: June 16, 1983

Status: Non-operational

Uplink: 435.030 to 435.180 MHz CW/LSB

Downlink: 145.975 to 145.825 MHz CW/USB

Beacon: 145.810 MHz (unmodulated carrier)

W4SM has more information about the satellite at the following URL:

<http://www.cstone.net/~w4sm/A0-10.html>

[05092004]

=====

I0-26 ITAMSAT

Catalog number: 22826

Launch Date: September 26, 1993

Status: Downlink only

Uplink: 145.875 145.900 145.925 145.950 MHz FM (1200-baud)

Downlink: 435.808 MHz PSK

Broadcast Callsign: ITMSAT-11

BBS: ITMSAT-12

Official webpage: <http://www.itamsat.org>

AMSAT Webpage: <http://www.amsat.org/amsat/sats/n7hpr/io26.html>
[01012006]

=====

RS-12 RADIO SPORT RS-12

Catalog number: 21089

Launched: February 5, 1991

Status: Non-operational

Uplink: 21.210 to 21.250 MHz CW/USB

Downlink: 29.410 to 29.450 MHz CW/USB

Beacon: 29.408 MHz

Robot: 29.454 MHz

[05232004]

=====

RS-13 RADIO SPORT RS-13

Catalog number: 21089

Launched: February 5, 1991

Status: Non-operational

Uplink: 21.260 to 21.300 MHz CW/USB

Downlink: 145.860 to 145.900 MHz CW/USB

Beacon: 145.860 MHz

Robot: 145.908 MHz

[05232004]

=====

U0-14 UoSAT-3

Catalog number: 20437

Launched: January 22, 1990

Status: Non-operational

Uplink 145.975 MHz FM

Downlink 435.070 MHz FM

[05092004]

=====

U0-22 UOSAT

Catalog number: 21575

Launched: July 17, 1991

Status: Non-Operational

Uplink: 145.900 FM 9600-baud FSK

Downlink: 435.120 MHz FM

Broadcast Callsign: UOSAT5-11

BBS: UOSAT5-12

[01092005]

=====

RS-15 RADIO SPORT RS-15

Catalog number: 23439

Launch Date: December 26, 1994

Status: Non-operational?

Uplink: 145.858 to 145.898 MHz CW/USB

Downlink: 29.354 to 29.394 MHz CW/USB
Beacon: 29.352 MHz (intermittent)
SSB meeting frequency: 29.380 MHz (unofficial)
[06202004]

=====

L0-19 LUSAT
Catalog number: 20442
Launched: January 22, 1990

Status: CW Beacon only

Uplink: 145.84 145.86 145.88 145.90 MHz FM
(using 1200-baud Manchester FSK)
CW downlink: 437.125 MHz
Digital downlink: 437.150 MHz SSB (RC-BPSK 1200-baud PSK)
Broadcast Callsign: LUSAT-11
BBS: LUSAT-120

General information and telemetry samples can be found at:
www.telecable.es/personales/ealbcu
[05232004]

=====

F0-20 JAS-1b
Catalog number: 20480
Launch Date: February 07, 1990

Status: Non-Operational

Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795

More F0-20 info can be found at:
<http://www.amsat.org/amsat/sats/n7hpr/fo20.html>
[08152004]

=====

K0-23 KITSAT
Catalog number: 22077
Launched: August 10, 1992

Status: Non-operational

Uplink: 145.900 MHz FM (9600-baud FSK)
Downlink: 435.170 MHz FM
Broadcast Callsign: HL01-11
BBS: HL01-12

Jim, AA7KC, reports that K0-23's downlink transmitter continues in a non-operational status.
[05092004]

=====

K0-25 KITSAT
Catalog number: 22828
Launched: September 26, 1993

Status: Non-operational

Uplink: 145.980 MHz FM (9600-baud FSK)
Downlink: 436.500 MHz FM
Broadcast Callsign: HL02-11
BBS: HL02-12
[05092004]

=====

P0-34 PANSAT

Catalog number: 25520
Launched: October 30, 1998

Status: Telemetry downloads only

Uplink/downlink: 436.500 MHz

Official Webpage: [http://www.sp.nps.navy.mil/pansat/\[05092004\]](http://www.sp.nps.navy.mil/pansat/[05092004])

=====

S0-33 SEDSAT-1
Catalog number: 25509
Launched: October 24, 1998

Status: Semi-operational

Downlink: 437.910 MHz FM (9600-baud FSK)

The satellite is not currently available for uplink transmissions and the image and transponder recovery efforts have been unsuccessful.

For more information on SedSat-1 visit the satellite web site:
<http://seds.uah.edu/projects/sedsat/sedsat.htm>

[ANS-WSR has no further information]
[05232004]

=====

S0-35 SUNSAT
Catalog Number: ?
Launched: February 23, 1999

Status: Non-Operational

Downlink: Mode B Repeater: 436.291 MHz
Mode J Digipeater: 436.250 MHz

Uplinks: Mode B Repeater: 145.825 MHz
Mode J Digipeater: 145.825 MHz and 145.900 MHz

For more information of SUNSAT visit the satellite web site:
[http://esl.ee.sun.ac.za/projects/sunsat/\[08082004\]](http://esl.ee.sun.ac.za/projects/sunsat/[08082004])

=====

U0-36 UoSAT-12
Catalog number: 25693
Launched: April 21, 1999

Status: Unknown

Uplink: 145.960 MHz (9600-baud FSK)
Downlink: 437.025 MHz 437.400 MHz
Broadcast Callsign: U0121-11
BBS: U0121-12

The VK5HI viewer shareware for U0-36 is available on the AMSAT-NA web site at the following URL:
<ftp://ftp.amsat.org/amsat/software/win32/display/ccddsp97-119.zip>
[05092004]

=====

A0-40 AMSAT OSCAR 40
Catalog number: 26609
Launch Date: November 16, 2000

Status: Non-Operational

Uplink V-band 145.840 - 145.990 MHz CW/LSB
U-band 435.550 - 435.800 MHz CW/LSB
L1-band 1269.250 - 1269.500 MHz CW/LSB
L2-band 1268.325 - 1268.575 MHz CW/LSB
Downlink: S2-band 2401.225 - 2401.475 MHz CW/USB
K-band 24,048.010 - 24,048.060 MHz CW/USB
Beacon: 2401.323
24,048.035
[05232004]

=====

S0-42 SAUDISAT-1B
Catalog number: 26549
Launched: September 26, 2000

Status: Non-Operational
Downlink: 437.075 MHz
Broadcast Callsign: SASAT2-11
BBS: SASAT2-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so42.html>
[08152004]

=====

S0-41 SAUDISAT-1A
Catalog number: 26545
Launch Date: September 26, 2000

Status: Non-Operational

Uplink: 145.850 MHz
Downlink: 436.775 MHz
Broadcast Callsign: SASAT1-11
BBS: SASAT1-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so41.html>
[08152004]

=====

N0-45 SAPPHIRE
Catalog number: 26932
Launch Date: September 30, 2001

Status: Non-Operational

Downlink: 437.095 MHz 1200 baud AX-25 AFSK
Uplink: 145.945 MHz UI Digipeater
Digi Callsign: KE6QMD

Everyone is welcome to use the digipeating/APRS features of Sapphire,
call-
sign KE6QMD, as per the user service agreement located at the following
URL:
<http://web.usna.navy.mil/~bruninga/pcsat/contract.txt>
[03132005]

=====

M0-46 TIUNGSAT-1
Catalog number: 26548
Launched: September 26, 2000

Status: Operational

Uplink: 145.850 or 145.925 MHz 9600-baud FSK

Downlink: 437.325 MHz
Broadcast callsign: MYSAT3-11
BBS: MYSAT3-12

TiungSat-1 is Malaysia's first micro-satellite and in addition to commercial land and weather imaging payloads offers FM and FSK Amateur Radio communication.

TiungSat-1, named after the mynah bird of Malaysia, was developed as a collaborative effort between the Malaysian government and Surrey Satellite Technology Ltd.
[11202005]

=====

A0-49 AATiS OSCAR-49 (SAFIR-M)
Catalog number: 27605
Launch Date: December 20, 2002

Status: Non-operational.

Uplink 435.275 1200-baud AFSK
Downlink 145.825 9600-baud FSK
(optional voice message)
Broadcast callsign: DP0AIS

Official webpage: <http://amend.gmxhome.de>
[01012006]

=====

D0-17 Dove
Catalog Number: 20440
Launch Date: January 22, 1990

Status: Non-operational.

Downlink: Downlink 145.825 MHz FM 1200 Baud AFSK
Beacon: 2401.220 MHz
[05012006]

=====

W0-18 WEBERSAT
Catalog Number: 20441
Launch Date: January 22, 1990

Status: Non-Operational

Downlink: 437.104 MHz SSB 1200 Baud PSK AX.25
[05012006]
NNNN
/EX

SB SAT @ AMSAT W8ISS \$ANS-128.S4
WSR 128 Part 4 05/08/2006

AMSAT NEWS SERVICE BULLETIN 128.S4 FROM AMSAT HQ
SILVER SPRING, MD, May 08, 2006
TO ALL RADIO AMATEURS
BID: \$ANS-128.S4

THE FOLLOWING SATELLITES ARE NOT IN ORBIT BUT ARE
PROPOSED FOR LAUNCH AT THIS TIME:

PHASE 3E ?0-??
Catalog Number:

Proposed Launch Date: Early/Mid 2007

Status: Under Construction

For the latest project status update please visit the AMSAT-DL P3-E web page:

<http://www.amsat-dl.org/p3e/>

[ANS-WSR wishes to thank William Leijenaar, PE1RAH for this week's report]

[04242006]

NNNN

/EX

ANS is released worldwide via the AMSAT ANS e-mail reflector and a live radiocast on the AMSAT-NA 20-meter net held each Sunday on 14.282 MHz. Pre-net operations start at 18:00 UTC, with current ANS bulletins transmitted to the eastern U.S. at 19:00 UTC and to the western U.S. at 19:30 UTC.

Information on AMSAT-NA is available at the following URL:

<http://www.amsat.org>

AMSAT-NA

850 Sligo Avenue, Suite 600

Silver Spring, Maryland 20910-4703

Voice: 301-589-6062

888-322-6728

FAX: 301-608-3410

Currently, AMSAT-NA supports the following (free) mailing lists:

- * AMSAT News Service (ANS)
- * General satellite discussion (AMSAT-BB)
- * Orbit data (KEPS)
- * Manned space missions (SAREX)
- * District of Columbia area (AMSAT-DC)
- * New England area (AMSAT-NE)
- * AMSAT Educational Liaison mailing list (AMSAT-EDU)
- * AMSAT K-12 Educational Liaison mailing list (AMSAT-K12)

A daily digest version is available for each list.

To subscribe, or for more list information, visit the following URL:

<http://www.amsat.org/amsat/listserv/menu.html>

In addition to regular membership, AMSAT-NA offers membership in the President's Club. Members of the President's Club, as sustaining donors to AMSAT Project Funds, will be eligible to receive additional benefits. Application forms are available from the AMSAT-NA Office.

This week's Weekly Satellite Report Editor is James French, W8ISS.

ANS is always dedicated to past ANS editor 'BJ' Arts, WT0N, and to the memory of longtime AMSAT supporters Werner Haas, DJ5KQ, Dennis Kitchen, G0FCL and John Branegan GM4IHJ.

Please send any amateur satellite news or reports to:

ans-editor@amsat.org

NNNN

/EX